

The BLAZE Collection

Affordable Luxury Gas Fireplaces

ACUCRAFT
Fire Reimagined.



The Blaze Collection

Table of Contents

Click on any of the titles below to jump to that section.

The Blaze Fireplaces.....4

Four Sided.....8

Front & Side View.....9

Indoor/Outdoor.....10

Panoramic.....11

Peninsula.....12

See-Through.....13

Single-Sided.....14

The Blaze Outdoor Fireplaces.....15

Specifications.....18

Finishing Options.....43

Interior Options.....45

Glass Media.....46

Stone Media.....48

Safety & Certification.....49

Custom Fireplaces.....53

Resources.....54

The Acucraft Difference.....55



Fire Reimagined.

For more than 40-years, Acucraft has been designing, developing, and perfecting the fireplace experience. Our fireplaces are handcrafted and custom built by a team of engineers and craftsmen who are committed to quality and performance. At Acucraft, we create the most unique, distinctive, and highest quality custom gas and wood burning fireplaces in the world.

We are the fireplace experts.



When it comes to delivering the absolute best fireplace experience, there are no shortcuts. Our commitment to quality and performance is handcrafted into every fireplace that bears our nameplate. Built in Big Lake, Minnesota, by true craftsmen who know how to conquer the cold and deliver a fireplace that performs as good as it looks. Built from heavy-gauge US Steel and backed by a Lifetime Warranty, nobody does it better.

CERTIFIED

Our gas fireplaces are ANSI Z21.97 / CSA 2.41-2017 and ANSI Z21.50 / CSA 2.22-2019 certified.

CUSTOMIZED

Acucraft works directly with you to create a truly unique fireplace experience.

HANDCRAFTED

Never mass-produced, each fireplace is meticulously, custom built.

WORLDWIDE

Built in America and shipped directly to you, anywhere in the world.

WARRANTY

Keep the fire burning, each Acucraft fireplace is backed by a Lifetime Warranty.

The Blaze Collection

Affordable Luxury Gas Fireplaces

Introducing an entirely new custom-inspired fireplace collection.

Custom-Inspired Fireplaces : Over 500 unique pre-engineered designs in eight custom-inspired styles.

Easy to Buy : A definitive value advantage and factory-direct, personalized services comes standard with every Acucraft fireplace.

Quick to Ship : Featuring the same intelligent engineering and quality manufacturing as our luxury custom fireplaces, and at your door within 8-weeks.



The BLAZE Collection

The Acucraft Blaze Collection was inspired by architects, designers, and contractors across the nation who seek high-quality, versatile fireplaces to create the ultimate focal point of the space. At Acucraft every fireplace we manufacture is for a specific customer; we don't cut corners by trying to sell you whatever is 'in stock' or push you into a modular fireplace that doesn't meet your needs. Our team of experts will work closely with you to discover the best fire for your space.

Speak with an expert today by calling 888-317-6499, we can't wait to make your dream fireplace a reality!



Flexible Designs and Options to Suit Any Space

With over 500 ready-to-go configurations, and unique finishing options, our Blaze Collection provide unparalleled quality and beauty. Every fireplace is ANSI tested and certified for use in the United States and Canada (ANSI Z21.97 / CSA 2.41-2017 and ANSI Z21.50 / CSA 2.22-2019).

Specifications:

- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- Dual pane glass cooling system
- Natural gas or propane

Styles:

- Four-Sided
- Front and Left View
- Front and Right View
- Indoor/Outdoor
- Panoramic
- Peninsula
- See-Through
- Single-Sided

Finishing Options:

- Premium glass media
- Rock & stones
- LED lighting
- Reflective panels
- On/off remote



Four Sided



Front & Side View



Indoor / Outdoor



Panoramic



Peninsula



See-Through



Single-Sided

Blaze Fireplace Styles

- 22,000 BTUs per foot
- Tallest, fullest flames (average of 8" - 12")
- Clean, frameless finish
- Safe-to-touch dual pane glass cooling
- Finish with any non-combustible materials
- 8" - 14" Class B venting system
- ANSI / CSA certified for use in the United States and Canada

Frameless Design

With unparalleled views of the tallest and fullest flames available, the BLAZE Collection can be installed flush and surrounded by any non-combustible material of your choice. Whether your style is rustic or contemporary, a frameless fireplace is the perfect addition to any home or commercial space.



Four-Sided

Capture everyone's attention without obstruction. The unique design delivers unobstructed enjoyment from any vantage point. Often referred to as an island fireplace, the striking and sophisticated appearance make it an ideal for both residential and commercial settings.

- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- Starting at \$11,600



Blaze Four Sided 8'W x 72'H



Blaze Four Sided 10'W x 72'H



Blaze Four Sided 7'W x 80'H



Blaze Four Sided 6'W x 48'H


Front & Side View

Engage your guests with an expansive view of the flames. Also known as a multi-view fireplace, a primary viewing area is bolstered with side profiles of the flames. The design brings sophistication and warmth to both residential and commercial environments.

- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- Starting at \$6,600



Blaze Front and Left View 4'W x 20"H



Blaze Front and Left View 8'W x 24"H



Blaze Front and Right View 7'W x 30"H



Indoor / Outdoor

Entertain family and friends inside or out with a fireplace that seamlessly adapts to your mood with elegance and sophistication. Effortlessly transition from the comforting embrace of an indoor fireplace to the refreshing, natural backdrop of an outdoor setting whenever you wish.


- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- Starting at \$6,400



Blaze Indoor/Outdoor 5'W x 20"H



Blaze Indoor/Outdoor 6'W x 36"H



Blaze Indoor/Outdoor 6'W x 30"H



Blaze Indoor/Outdoor 4'W x 48"H



Blaze Indoor/Outdoor 7'W x 20"H

Panoramic

For a contemporary touch, the Panoramic boasts a sleek and minimalist aesthetic, featuring three sides for enhanced viewing. Also known as a tunnel fireplace, the design elevates the ambiance of any space, captivating everyone with a dynamic display of flickering flames.

- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- Starting at \$12,800



Blaze Panoramic 8'W x 20'H



Blaze Panoramic 5'W x 36'H



Blaze Panoramic 7'W x 30'H



Blaze Panoramic 5'W x 20'H

Peninsula

Renowned for its ability to provide clear, unobstructed views of its mesmerizing flames, the spatial three-sided design allows for versatile placement options within a variety of architectural styles and room layouts. It's also a preferred choice amongst interior designers and architects.

- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- Starting at \$15,400



Blaze Peninsula 7'W x 30'H



Blaze Peninsula 4'W x 30'H



Blaze Peninsula 3'W x 24'H



Blaze Peninsula 5'W x 60'H

See-Through

Experience the openness and connectivity of the innovative Blaze See-Through fireplace. The elegant and elongated form provides a captivating view of the flames from both sides. It's the ideal solution when creating a dynamic centerpiece in residential or commercial spaces.

- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- Starting at \$5,700

Blaze See-Through 4'W x 36"H



Blaze See-Through 7'W x 20"H



Blaze See-Through 3'W x 80"H



Blaze See-Through 6'W x 48"H



Blaze See-Through 4'W x 20"H

Single-Sided

Immerse yourself in the sleek and modern elegance of a linear single-sided gas fireplace. The streamlined design offers an elegant and contemporary feel with a cozy ambiance to any space. Perfect for residential or commercial settings looking to blend sophistication with comfort.

- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- Starting at \$5,300



Blaze Single-Sided 6'W x 24"H



Blaze Single-Sided 6'W x 20"H



Blaze Single-Sided 7'W x 24"H



Blaze Single-Sided 4'W x 48"H



Blaze Indoor/Outdoor 4'W x 36"H

Now Available in Outdoor!

ACUCRAFT
Fire Reimagined.



[BACK TO TOP](#)

The Blaze Collection Outdoor Gas Fireplaces

Take your designs to the next level with the NEW Blaze Outdoor Fireplace Collection - crafted for elegance, built for durability. A Blaze Outdoor Gas Fireplace is the ultimate addition to any outdoor space, combining unmatched performance, style, and convenience.

Here's why you'll love it:

- *Create a stunning focal point*
- *Unparalleled customization*
- *Effortless operation*
- *Year-round comfort*
- *Uncompromising quality*

With unparalleled views of the tallest and fullest flames available, the Blaze Outdoor Collection is designed to withstand the elements and deliver warmth and ambiance no matter the season.

Elevate your outdoor living space with a Blaze outdoor fireplace - where luxury meets functionality.

It's more than a fireplace; it's an experience.

Starting at \$9,200

As featured in

THE WALL STREET JOURNAL.

Outdoor Fireplaces

Outdoor fireplaces bring comfort and warmth to any space making them the perfect backdrop for friends, family, and guests to gather around. With over 500 pre-engineered designs, the Blaze Outdoor Collection is perfect for any residential or commercial project.

- 3-foot to 10-foot lengths
- 20-inch to 80-inch heights
- 8 unique styles



Specifications



*Download
Fireplace Specs:*



SCAN ME



BACK TO TOP

Four Sided

Fireplace Specifications

The below specifications are applicable to all four-sided fireplace models.

Starting at \$10,800

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FS-20	36"W x 20"H	36"W x 48"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FS-20	48"W x 20"H	48"W x 48"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FS-20	60"W x 20"H	60"W x 52"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FS-20	72"W x 20"H	72"W x 52"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FS-20	84"W x 20"H	84"W x 56"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FS-20	96"W x 20"H	96"W x 56"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FS-20	108"W x 20"H	108"W x 58"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FS-20	120"W x 20"H	120"W x 60"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FS-24	36"W x 24"H	36"W x 52"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FS-24	48"W x 24"H	48"W x 52"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FS-24	60"W x 24"H	60"W x 56"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FS-24	72"W x 24"H	72"W x 56"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FS-24	84"W x 24"H	84"W x 60"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FS-24	96"W x 24"H	96"W x 60"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FS-24	108"W x 24"H	108"W x 62"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FS-24	120"W x 24"H	120"W x 62"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FS-30	36"W x 30"H	36"W x 58"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FS-30	48"W x 30"H	48"W x 58"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FS-30	60"W x 30"H	60"W x 62"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FS-30	72"W x 30"H	72"W x 62"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FS-30	84"W x 30"H	84"W x 66"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FS-30	96"W x 30"H	96"W x 66"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FS-30	108"W x 30"H	108"W x 68"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FS-30	120"W x 30"H	120"W x 70"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Four Sided

Fireplace Specifications

The below specifications are applicable to all four-sided fireplace models.

Starting at \$10,800

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FS-36	36"W x 36"H	36"W x 64"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FS-36	48"W x 36"H	48"W x 64"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FS-36	60"W x 36"H	60"W x 68"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FS-36	72"W x 36"H	72"W x 68"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FS-36	84"W x 36"H	84"W x 72"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FS-36	96"W x 36"H	96"W x 72"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FS-36	108"W x 36"H	108"W x 74"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FS-36	120"W x 36"H	120"W x 76"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FS-48	36"W x 48"H	36"W x 76"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FS-48	48"W x 48"H	48"W x 76"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FS-48	60"W x 48"H	60"W x 80"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FS-48	72"W x 48"H	72"W x 80"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FS-48	84"W x 48"H	84"W x 84"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FS-48	96"W x 48"H	96"W x 84"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FS-48	108"W x 48"H	108"W x 86"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FS-48	120"W x 48"H	120"W x 86"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FS-60	36"W x 60"H	36"W x 88"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FS-60	48"W x 60"H	48"W x 88"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FS-60	60"W x 60"H	60"W x 92"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FS-60	72"W x 60"H	72"W x 92"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FS-60	84"W x 60"H	84"W x 96"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FS-60	96"W x 60"H	96"W x 96"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FS-60	108"W x 60"H	108"W x 98"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FS-60	120"W x 60"H	120"W x 100"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Four Sided

Fireplace Specifications

The below specifications are applicable to all four-sided fireplace models.

Starting at \$10,800

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FS-72	36"W x 72"H	36"W x 100"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FS-72	48"W x 72"H	48"W x 100"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FS-72	60"W x 72"H	60"W x 104"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FS-72	72"W x 72"H	72"W x 104"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FS-72	84"W x 72"H	84"W x 108"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FS-72	96"W x 72"H	96"W x 108"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FS-72	108"W x 72"H	108"W x 110"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FS-72	120"W x 72"H	120"W x 112"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FS-80	36"W x 80"H	36"W x 108"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FS-80	48"W x 80"H	48"W x 108"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FS-80	60"W x 80"H	60"W x 112"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FS-80	72"W x 80"H	72"W x 112"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FS-80	84"W x 80"H	84"W x 116"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FS-80	96"W x 80"H	96"W x 116"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FS-80	108"W x 80"H	108"W x 118"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FS-80	120"W x 80"H	120"W x 120"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Front & Left Side

Fireplace Specifications

The below specifications are applicable to all front and left side fireplace models.

Starting at \$6,600

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FL-20	36"W x 20"H	40.5"W x 48"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FL-20	48"W x 20"H	52.5"W x 48"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FL-20	60"W x 20"H	64.5"W x 52"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FL-20	72"W x 20"H	76.5"W x 52"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FL-20	84"W x 20"H	88.5"W x 56"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FL-20	96"W x 20"H	100.5"W x 56"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FL-20	108"W x 20"H	112.5"W x 58"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FL-20	120"W x 20"H	124.5"W x 60"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FL-24	36"W x 24"H	40.5"W x 52"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FL-24	48"W x 24"H	52.5"W x 52"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FL-24	60"W x 24"H	64.5"W x 56"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FL-24	72"W x 24"H	76.5"W x 56"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FL-24	84"W x 24"H	88.5"W x 60"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FL-24	96"W x 24"H	100.5"W x 60"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FL-24	108"W x 24"H	112.5"W x 62"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FL-24	120"W x 24"H	124.5"W x 64"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FL-30	36"W x 30"H	40.5"W x 58"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FL-30	48"W x 30"H	52.5"W x 58"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FL-30	60"W x 30"H	64.5"W x 62"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FL-30	72"W x 30"H	76.5"W x 62"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FL-30	84"W x 30"H	88.5"W x 66"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FL-30	96"W x 30"H	100.5"W x 66"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FL-30	108"W x 30"H	112.5"W x 68"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FL-30	120"W x 30"H	124.5"W x 70"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Front & Left Side

Fireplace Specifications

The below specifications are applicable to all front and left side fireplace models.

Starting at \$6,600

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FL-36	36"W x 36"H	40.5"W x 64"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FL-36	48"W x 36"H	52.5"W x 64"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FL-36	60"W x 36"H	64.5"W x 68"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FL-36	72"W x 36"H	76.5"W x 68"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FL-36	84"W x 36"H	88.5"W x 72"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FL-36	96"W x 36"H	100.5"W x 72"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FL-36	108"W x 36"H	112.5"W x 74"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FL-36	120"W x 36"H	124.5"W x 76"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FL-48	36"W x 48"H	40.5"W x 76"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FL-48	48"W x 48"H	52.5"W x 76"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FL-48	60"W x 48"H	64.5"W x 80"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FL-48	72"W x 48"H	76.5"W x 80"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FL-48	84"W x 48"H	88.5"W x 84"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FL-48	96"W x 48"H	100.5"W x 84"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FL-48	108"W x 48"H	112.5"W x 86"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FL-48	120"W x 48"H	124.5"W x 88"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FL-60	36"W x 60"H	40.5"W x 88"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FL-60	48"W x 60"H	52.5"W x 88"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FL-60	60"W x 60"H	64.5"W x 92"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FL-60	72"W x 60"H	76.5"W x 92"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FL-60	84"W x 60"H	88.5"W x 96"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FL-60	96"W x 60"H	100.5"W x 96"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FL-60	108"W x 60"H	112.5"W x 98"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FL-60	120"W x 60"H	124.5"W x 100"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Front & Left Side

Fireplace Specifications

The below specifications are applicable to all front and left side fireplace models.

Starting at \$6,600

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FL-72	36"W x 72"H	40.5"W x 100"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FL-72	48"W x 72"H	52.5"W x 100"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FL-72	60"W x 72"H	64.5"W x 104"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FL-72	72"W x 72"H	76.5"W x 104"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FL-72	84"W x 72"H	88.5"W x 108"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FL-72	96"W x 72"H	100.5"W x 108"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FL-72	108"W x 72"H	112.5"W x 110"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FL-72	120"W x 72"H	124.5"W x 112"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FL-80	36"W x 80"H	40.5"W x 108"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FL-80	48"W x 80"H	52.5"W x 108"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FL-80	60"W x 80"H	64.5"W x 112"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FL-80	72"W x 80"H	76.5"W x 112"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FL-80	84"W x 80"H	88.5"W x 116"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FL-80	96"W x 80"H	100.5"W x 116"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FL-80	108"W x 80"H	112.5"W x 118"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FL-80	120"W x 80"H	124.5"W x 120"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Front & Right Side

Fireplace Specifications

The below specifications are applicable to all front and right side fireplace models.

Starting at \$6,600

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FR-20	36"W x 20"H	40.5"W x 48"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FR-20	48"W x 20"H	52.5"W x 48"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FR-20	60"W x 20"H	64.5"W x 52"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FR-20	72"W x 20"H	76.5"W x 52"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FR-20	84"W x 20"H	88.5"W x 56"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FR-20	96"W x 20"H	100.5"W x 56"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FR-20	108"W x 20"H	112.5"W x 58"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FR-20	120"W x 20"H	124.5"W x 60"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FR-24	36"W x 24"H	40.5"W x 52"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FR-24	48"W x 24"H	52.5"W x 52"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FR-24	60"W x 24"H	64.5"W x 56"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FR-24	72"W x 24"H	76.5"W x 56"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FR-24	84"W x 24"H	88.5"W x 60"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FR-24	96"W x 24"H	100.5"W x 60"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FR-24	108"W x 24"H	112.5"W x 62"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FR-24	120"W x 24"H	124.5"W x 64"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FR-30	36"W x 30"H	40.5"W x 58"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FR-30	48"W x 30"H	52.5"W x 58"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FR-30	60"W x 30"H	64.5"W x 62"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FR-30	72"W x 30"H	76.5"W x 62"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FR-30	84"W x 30"H	88.5"W x 66"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FR-30	96"W x 30"H	100.5"W x 66"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FR-30	108"W x 30"H	112.5"W x 68"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FR-30	120"W x 30"H	124.5"W x 70"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Front & Right Side

Fireplace Specifications

The below specifications are applicable to all front and right side fireplace models.

Starting at \$6,600

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FR-36	36"W x 36"H	40.5"W x 64"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FR-36	48"W x 36"H	52.5"W x 64"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FR-36	60"W x 36"H	64.5"W x 68"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FR-36	72"W x 36"H	76.5"W x 68"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FR-36	84"W x 36"H	88.5"W x 72"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FR-36	96"W x 36"H	100.5"W x 72"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FR-36	108"W x 36"H	112.5"W x 74"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FR-36	120"W x 36"H	124.5"W x 76"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FR-48	36"W x 48"H	40.5"W x 76"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FR-48	48"W x 48"H	52.5"W x 76"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FR-48	60"W x 48"H	64.5"W x 80"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FR-48	72"W x 48"H	76.5"W x 80"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FR-48	84"W x 48"H	88.5"W x 84"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FR-48	96"W x 48"H	100.5"W x 84"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FR-48	108"W x 48"H	112.5"W x 86"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FR-48	120"W x 48"H	124.5"W x 88"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FR-60	36"W x 60"H	40.5"W x 88"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FR-60	48"W x 60"H	52.5"W x 88"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FR-60	60"W x 60"H	64.5"W x 92"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FR-60	72"W x 60"H	76.5"W x 92"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FR-60	84"W x 60"H	88.5"W x 96"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FR-60	96"W x 60"H	100.5"W x 96"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FR-60	108"W x 60"H	112.5"W x 98"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FR-60	120"W x 60"H	124.5"W x 100"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Front & Right Side

Fireplace Specifications

The below specifications are applicable to all front and right side fireplace models.

Starting at \$6,600

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-FR-72	36"W x 72"H	40.5"W x 100"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FR-72	48"W x 72"H	52.5"W x 100"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FR-72	60"W x 72"H	64.5"W x 104"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FR-72	72"W x 72"H	76.5"W x 104"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FR-72	84"W x 72"H	88.5"W x 108"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FR-72	96"W x 72"H	100.5"W x 108"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FR-72	108"W x 72"H	112.5"W x 110"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FR-72	120"W x 72"H	124.5"W x 112"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-FR-80	36"W x 80"H	40.5"W x 108"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-FR-80	48"W x 80"H	52.5"W x 108"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-FR-80	60"W x 80"H	64.5"W x 112"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-FR-80	72"W x 80"H	76.5"W x 112"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-FR-80	84"W x 80"H	88.5"W x 116"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-FR-80	96"W x 80"H	100.5"W x 116"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-FR-80	108"W x 80"H	112.5"W x 118"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-FR-80	120"W x 80"H	124.5"W x 120"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Indoor/Outdoor Fireplace Specifications

The below specifications are applicable to all indoor/outdoor fireplace models.

Starting at \$6,400

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-IO-20	36"W x 20"H	45"W x 48"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-IO-20	48"W x 20"H	57"W x 48"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-IO-20	60"W x 20"H	69"W x 52"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-IO-20	72"W x 20"H	81"W x 52"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-IO-20	84"W x 20"H	93"W x 56"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-IO-20	96"W x 20"H	105"W x 56"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-IO-20	108"W x 20"H	117"W x 58"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-IO-20	120"W x 20"H	129"W x 60"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-IO-24	36"W x 24"H	45"W x 52"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-IO-24	48"W x 24"H	57"W x 52"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-IO-24	60"W x 24"H	69"W x 56"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-IO-24	72"W x 24"H	81"W x 56"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-IO-24	84"W x 24"H	93"W x 60"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-IO-24	96"W x 24"H	105"W x 60"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-IO-24	108"W x 24"H	117"W x 62"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-IO-24	120"W x 24"H	129"W x 64"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-IO-30	36"W x 30"H	45"W x 58"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-IO-30	48"W x 30"H	57"W x 58"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-IO-30	60"W x 30"H	69"W x 62"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-IO-30	72"W x 30"H	81"W x 62"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-IO-30	84"W x 30"H	93"W x 66"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-IO-30	96"W x 30"H	105"W x 66"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-IO-30	108"W x 30"H	117"W x 68"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-IO-30	120"W x 30"H	129"W x 70"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Indoor/Outdoor Fireplace Specifications

The below specifications are applicable to all indoor/outdoor fireplace models.

Starting at \$6,400

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-IO-36	36"W x 36"H	45"W x 64"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-IO-36	48"W x 36"H	57"W x 64"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-IO-36	60"W x 36"H	69"W x 68"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-IO-36	72"W x 36"H	81"W x 68"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-IO-36	84"W x 36"H	93"W x 72"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-IO-36	96"W x 36"H	105"W x 72"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-IO-36	108"W x 36"H	117"W x 74"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-IO-36	120"W x 36"H	129"W x 76"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-IO-48	36"W x 48"H	45"W x 76"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-IO-48	48"W x 48"H	57"W x 76"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-IO-48	60"W x 48"H	69"W x 80"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-IO-48	72"W x 48"H	81"W x 80"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-IO-48	84"W x 48"H	93"W x 84"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-IO-48	96"W x 48"H	105"W x 84"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-IO-48	108"W x 48"H	117"W x 86"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-IO-48	120"W x 48"H	129"W x 88"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-IO-60	36"W x 60"H	45"W x 88"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-IO-60	48"W x 60"H	57"W x 88"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-IO-60	60"W x 60"H	69"W x 92"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-IO-60	72"W x 60"H	81"W x 92"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-IO-60	84"W x 60"H	93"W x 96"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-IO-60	96"W x 60"H	105"W x 96"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-IO-60	108"W x 60"H	117"W x 98"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-IO-60	120"W x 60"H	129"W x 100"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Indoor/Outdoor Fireplace Specifications

The below specifications are applicable to all indoor/outdoor fireplace models.

Starting at \$6,400

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-IO-72	36"W x 72"H	45"W x 100"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-IO-72	48"W x 72"H	57"W x 100"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-IO-72	60"W x 72"H	69"W x 104"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-IO-72	72"W x 72"H	81"W x 104"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-IO-72	84"W x 72"H	93"W x 108"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-IO-72	96"W x 72"H	105"W x 108"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-IO-72	108"W x 72"H	117"W x 110"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-IO-72	120"W x 72"H	129"W x 112"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-IO-80	36"W x 80"H	45"W x 108"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-IO-80	48"W x 80"H	57"W x 108"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-IO-80	60"W x 80"H	69"W x 112"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-IO-80	72"W x 80"H	81"W x 112"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-IO-80	84"W x 80"H	93"W x 116"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-IO-80	96"W x 80"H	105"W x 116"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-IO-80	108"W x 80"H	117"W x 118"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-IO-80	120"W x 80"H	129"W x 120"H x 24"D	108"	157,500	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Panoramic

Fireplace Specifications

The below specifications are applicable to all panoramic fireplace models.

Starting at \$7,400

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-PA-20	36"W x 20"H	36"W x 48"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PA-20	48"W x 20"H	48"W x 48"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PA-20	60"W x 20"H	60"W x 52"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PA-20	72"W x 20"H	72"W x 52"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PA-20	84"W x 20"H	84"W x 56"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PA-20	96"W x 20"H	96"W x 56"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PA-20	108"W x 20"H	108"W x 58"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PA-20	120"W x 20"H	120"W x 60"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PA-24	36"W x 24"H	36"W x 52"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PA-24	48"W x 24"H	48"W x 52"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PA-24	60"W x 24"H	60"W x 56"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PA-24	72"W x 24"H	72"W x 56"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PA-24	84"W x 24"H	84"W x 60"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PA-24	96"W x 24"H	96"W x 60"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PA-24	108"W x 24"H	108"W x 62"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PA-24	120"W x 24"H	120"W x 64"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PA-30	36"W x 30"H	36"W x 58"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PA-30	48"W x 30"H	48"W x 58"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PA-30	60"W x 30"H	60"W x 62"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PA-30	72"W x 30"H	72"W x 62"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PA-30	84"W x 30"H	84"W x 66"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PA-30	96"W x 30"H	96"W x 66"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PA-30	108"W x 30"H	108"W x 68"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PA-30	120"W x 30"H	120"W x 70"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Panoramic

Fireplace Specifications

The below specifications are applicable to all panoramic fireplace models.

Starting at \$7,400

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-PA-36	36"W x 36"H	36"W x 64"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PA-36	48"W x 36"H	48"W x 64"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PA-36	60"W x 36"H	60"W x 68"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PA-36	72"W x 36"H	72"W x 68"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PA-36	84"W x 36"H	84"W x 72"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PA-36	96"W x 36"H	96"W x 72"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PA-36	108"W x 36"H	108"W x 74"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PA-36	120"W x 36"H	120"W x 76"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PA-48	36"W x 48"H	36"W x 76"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PA-48	48"W x 48"H	48"W x 76"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PA-48	60"W x 48"H	60"W x 80"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PA-48	72"W x 48"H	72"W x 80"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PA-48	84"W x 48"H	84"W x 84"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PA-48	96"W x 48"H	96"W x 84"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PA-48	108"W x 48"H	108"W x 86"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PA-48	120"W x 48"H	120"W x 88"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PA-60	36"W x 60"H	36"W x 88"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PA-60	48"W x 60"H	48"W x 88"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PA-60	60"W x 60"H	60"W x 92"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PA-60	72"W x 60"H	72"W x 92"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PA-60	84"W x 60"H	84"W x 96"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PA-60	96"W x 60"H	96"W x 96"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PA-60	108"W x 60"H	108"W x 98"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PA-60	120"W x 60"H	120"W x 100"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Panoramic

Fireplace Specifications

The below specifications are applicable to all panoramic fireplace models.

Starting at \$7,400

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-PA-72	36"W x 72"H	36"W x 100"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PA-72	48"W x 72"H	48"W x 100"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PA-72	60"W x 72"H	60"W x 104"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PA-72	72"W x 72"H	72"W x 104"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PA-72	84"W x 72"H	84"W x 108"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PA-72	96"W x 72"H	96"W x 108"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PA-72	108"W x 72"H	108"W x 110"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PA-72	120"W x 72"H	120"W x 112"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PA-80	36"W x 80"H	36"W x 108"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PA-80	48"W x 80"H	48"W x 108"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PA-80	60"W x 80"H	60"W x 112"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PA-80	72"W x 80"H	72"W x 112"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PA-80	84"W x 80"H	84"W x 116"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PA-80	96"W x 80"H	96"W x 116"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PA-80	108"W x 80"H	108"W x 118"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PA-80	120"W x 80"H	120"W x 120"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Peninsula

Fireplace Specifications

The below specifications are applicable to all peninsula fireplace models.

Starting at \$10,200

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-PE-20	36"W x 20"H	44"W x 48"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PE-20	48"W x 20"H	56"W x 48"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PE-20	60"W x 20"H	68"W x 52"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PE-20	72"W x 20"H	80"W x 52"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PE-20	84"W x 20"H	92"W x 56"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PE-20	96"W x 20"H	104"W x 56"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PE-20	108"W x 20"H	116"W x 58"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PE-20	120"W x 20"H	128"W x 60"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PE-24	36"W x 24"H	44"W x 52"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PE-24	48"W x 24"H	56"W x 52"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PE-24	60"W x 24"H	68"W x 56"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PE-24	72"W x 24"H	80"W x 56"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PE-24	84"W x 24"H	92"W x 60"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PE-24	96"W x 24"H	104"W x 60"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PE-24	108"W x 24"H	116"W x 62"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PE-24	120"W x 24"H	128"W x 64"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PE-30	36"W x 30"H	44"W x 58"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PE-30	48"W x 30"H	56"W x 58"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PE-30	60"W x 30"H	68"W x 62"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PE-30	72"W x 30"H	80"W x 62"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PE-30	84"W x 30"H	92"W x 66"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PE-30	96"W x 30"H	104"W x 66"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PE-30	108"W x 30"H	116"W x 68"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PE-30	120"W x 30"H	128"W x 70"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Peninsula

Fireplace Specifications

The below specifications are applicable to all peninsula fireplace models.

Starting at \$10,200

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-PE-36	36"W x 36"H	44"W x 64"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PE-36	48"W x 36"H	56"W x 64"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PE-36	60"W x 36"H	68"W x 68"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PE-36	72"W x 36"H	80"W x 68"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PE-36	84"W x 36"H	92"W x 72"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PE-36	96"W x 36"H	104"W x 72"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PE-36	108"W x 36"H	116"W x 74"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PE-36	120"W x 36"H	128"W x 76"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PE-48	36"W x 48"H	44"W x 76"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PE-48	48"W x 48"H	56"W x 76"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PE-48	60"W x 48"H	68"W x 80"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PE-48	72"W x 48"H	80"W x 80"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PE-48	84"W x 48"H	92"W x 84"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PE-48	96"W x 48"H	104"W x 84"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PE-48	108"W x 48"H	116"W x 86"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PE-48	120"W x 48"H	128"W x 88"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PE-60	36"W x 60"H	44"W x 88"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PE-60	48"W x 60"H	56"W x 88"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PE-60	60"W x 60"H	68"W x 92"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PE-60	72"W x 60"H	80"W x 92"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PE-60	84"W x 60"H	92"W x 96"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PE-60	96"W x 60"H	104"W x 96"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PE-60	108"W x 60"H	116"W x 98"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PE-60	120"W x 60"H	128"W x 100"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Peninsula

Fireplace Specifications

The below specifications are applicable to all peninsula fireplace models.

Starting at \$10,200

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-PE-72	36"W x 72"H	44"W x 100"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PE-72	48"W x 72"H	56"W x 100"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PE-72	60"W x 72"H	68"W x 104"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PE-72	72"W x 72"H	80"W x 104"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PE-72	84"W x 72"H	92"W x 108"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PE-72	96"W x 72"H	104"W x 108"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PE-72	108"W x 72"H	116"W x 110"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PE-72	120"W x 72"H	128"W x 112"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-PE-80	36"W x 80"H	44"W x 108"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-PE-80	48"W x 80"H	56"W x 108"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-PE-80	60"W x 80"H	68"W x 112"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-PE-80	72"W x 80"H	80"W x 112"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-PE-80	84"W x 80"H	92"W x 116"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-PE-80	96"W x 80"H	104"W x 116"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-PE-80	108"W x 80"H	116"W x 118"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-PE-80	120"W x 80"H	128"W x 120"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

See-Through Fireplace Specifications

The below specifications are applicable to all see-through fireplace models.

Starting at \$5,700

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-ST-20	36"W x 20"H	45"W x 48"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-ST-20	48"W x 20"H	57"W x 48"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-ST-20	60"W x 20"H	69"W x 52"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-ST-20	72"W x 20"H	81"W x 52"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-ST-20	84"W x 20"H	93"W x 56"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-ST-20	96"W x 20"H	105"W x 56"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-ST-20	108"W x 20"H	117"W x 58"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-ST-20	120"W x 20"H	129"W x 60"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-ST-24	36"W x 24"H	45"W x 52"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-ST-24	48"W x 24"H	57"W x 52"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-ST-24	60"W x 24"H	69"W x 56"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-ST-24	72"W x 24"H	81"W x 56"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-ST-24	84"W x 24"H	93"W x 60"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-ST-24	96"W x 24"H	105"W x 60"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-ST-24	108"W x 24"H	117"W x 62"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-ST-24	120"W x 24"H	129"W x 64"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-ST-30	36"W x 30"H	45"W x 58"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-ST-30	48"W x 30"H	57"W x 58"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-ST-30	60"W x 30"H	69"W x 62"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-ST-30	72"W x 30"H	81"W x 62"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-ST-30	84"W x 30"H	93"W x 66"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-ST-30	96"W x 30"H	105"W x 66"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-ST-30	108"W x 30"H	117"W x 68"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-ST-30	120"W x 30"H	129"W x 70"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

See-Through Fireplace Specifications

The below specifications are applicable to all see-through fireplace models.

Starting at \$5,700

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-ST-36	36"W x 36"H	45"W x 64"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-ST-36	48"W x 36"H	57"W x 64"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-ST-36	60"W x 36"H	69"W x 68"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-ST-36	72"W x 36"H	81"W x 68"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-ST-36	84"W x 36"H	93"W x 72"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-ST-36	96"W x 36"H	105"W x 72"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-ST-36	108"W x 36"H	117"W x 74"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-ST-36	120"W x 36"H	129"W x 76"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-ST-48	36"W x 48"H	45"W x 76"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-ST-48	48"W x 48"H	57"W x 76"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-ST-48	60"W x 48"H	69"W x 80"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-ST-48	72"W x 48"H	81"W x 80"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-ST-48	84"W x 48"H	93"W x 84"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-ST-48	96"W x 48"H	105"W x 84"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-ST-48	108"W x 48"H	117"W x 86"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-ST-48	120"W x 48"H	129"W x 88"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-ST-60	36"W x 60"H	45"W x 88"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-ST-60	48"W x 60"H	57"W x 88"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-ST-60	60"W x 60"H	69"W x 92"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-ST-60	72"W x 60"H	81"W x 92"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-ST-60	84"W x 60"H	93"W x 96"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-ST-60	96"W x 60"H	105"W x 96"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-ST-60	108"W x 60"H	117"W x 98"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-ST-60	120"W x 60"H	129"W x 100"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

See-Through Fireplace Specifications

The below specifications are applicable to all see-through fireplace models.

Starting at \$5,700

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-ST-72	36"W x 72"H	45"W x 100"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-ST-72	48"W x 72"H	57"W x 100"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-ST-72	60"W x 72"H	69"W x 104"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-ST-72	72"W x 72"H	81"W x 104"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-ST-72	84"W x 72"H	93"W x 108"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-ST-72	96"W x 72"H	105"W x 108"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-ST-72	108"W x 72"H	117"W x 110"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-ST-72	120"W x 72"H	129"W x 112"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-ST-80	36"W x 80"H	45"W x 108"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-ST-80	48"W x 80"H	57"W x 108"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-ST-80	60"W x 80"H	69"W x 112"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-ST-80	72"W x 80"H	81"W x 112"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-ST-80	84"W x 80"H	93"W x 116"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-ST-80	96"W x 80"H	105"W x 116"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-ST-80	108"W x 80"H	117"W x 118"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-ST-80	120"W x 80"H	129"W x 120"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Single Sided Fireplace Specifications

The below specifications are applicable to all single sided fireplace models.

Starting at \$5,300

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-SS-20	36"W x 20"H	45"W x 48"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-SS-20	48"W x 20"H	57"W x 48"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-SS-20	60"W x 20"H	69"W x 52"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-SS-20	72"W x 20"H	81"W x 52"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-SS-20	84"W x 20"H	93"W x 56"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-SS-20	96"W x 20"H	105"W x 56"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-SS-20	108"W x 20"H	117"W x 58"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-SS-20	120"W x 20"H	129"W x 60"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-SS-24	36"W x 24"H	45"W x 52"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-SS-24	48"W x 24"H	57"W x 52"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-SS-24	60"W x 24"H	69"W x 56"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-SS-24	72"W x 24"H	81"W x 56"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-SS-24	84"W x 24"H	93"W x 60"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-SS-24	96"W x 24"H	105"W x 60"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-SS-24	108"W x 24"H	117"W x 62"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-SS-24	120"W x 24"H	129"W x 64"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-SS-30	36"W x 30"H	45"W x 58"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-SS-30	48"W x 30"H	57"W x 58"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-SS-30	60"W x 30"H	69"W x 62"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-SS-30	72"W x 30"H	81"W x 62"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-SS-30	84"W x 30"H	93"W x 66"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-SS-30	96"W x 30"H	105"W x 66"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-SS-30	108"W x 30"H	117"W x 68"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-SS-30	120"W x 30"H	129"W x 70"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Single Sided Fireplace Specifications

The below specifications are applicable to all single sided fireplace models.

Starting at \$5,300

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-SS-36	36"W x 36"H	45"W x 64"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-SS-36	48"W x 36"H	57"W x 64"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-SS-36	60"W x 36"H	69"W x 68"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-SS-36	72"W x 36"H	81"W x 68"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-SS-36	84"W x 36"H	93"W x 72"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-SS-36	96"W x 36"H	105"W x 72"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-SS-36	108"W x 36"H	117"W x 74"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-SS-36	120"W x 36"H	129"W x 76"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-SS-48	36"W x 48"H	45"W x 76"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-SS-48	48"W x 48"H	57"W x 76"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-SS-48	60"W x 48"H	69"W x 80"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-SS-48	72"W x 48"H	81"W x 80"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-SS-48	84"W x 48"H	93"W x 84"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-SS-48	96"W x 48"H	105"W x 84"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-SS-48	108"W x 48"H	117"W x 86"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-SS-48	120"W x 48"H	129"W x 88"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-SS-60	36"W x 60"H	45"W x 88"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-SS-60	48"W x 60"H	57"W x 88"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-SS-60	60"W x 60"H	69"W x 92"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-SS-60	72"W x 60"H	81"W x 92"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-SS-60	84"W x 60"H	93"W x 96"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-SS-60	96"W x 60"H	105"W x 96"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-SS-60	108"W x 60"H	117"W x 98"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-SS-60	120"W x 60"H	129"W x 100"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Single Sided Fireplace Specifications

The below specifications are applicable to all single sided fireplace models.

Starting at \$5,300

MODEL	VIEWING AREA	DIMENSIONS	BURNER LENGTH	BTUS	COMBUSTION AIR INTAKE	B-VENT FLUE	POWER VENT	INLINE FAN
A-3-SS-72	36"W x 72"H	45"W x 100"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-SS-72	48"W x 72"H	57"W x 100"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-SS-72	60"W x 72"H	69"W x 104"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-SS-72	72"W x 72"H	81"W x 104"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-SS-72	84"W x 72"H	93"W x 108"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-SS-72	96"W x 72"H	105"W x 108"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-SS-72	108"W x 72"H	117"W x 110"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-SS-72	120"W x 72"H	129"W x 112"H x 24"D	108"	198,000	14"	14"	RS 16	N/A
A-3-SS-80	36"W x 80"H	45"W x 108"H x 24"D	24"	44,000	8"	8"	RS 12	RSIF 160
A-4-SS-80	48"W x 80"H	57"W x 108"H x 24"D	36"	66,000	8"	8"	RS 12	RSIF 160
A-5-SS-80	60"W x 80"H	69"W x 112"H x 24"D	48"	88,000	10"	10"	RS 12	RSIF 160
A-6-SS-80	72"W x 80"H	81"W x 112"H x 24"D	60"	110,000	10"	10"	RS 14	RSIF 180
A-7-SS-80	84"W x 80"H	93"W x 116"H x 24"D	72"	132,000	12"	12"	RS 14	RSIF 180
A-8-SS-80	96"W x 80"H	105"W x 116"H x 24"D	84"	154,000	12"	12"	RS 16	N/A
A-9-SS-80	108"W x 80"H	117"W x 118"H x 24"D	96"	176,000	12"	12"	RS 16	N/A
A-10-SS-80	120"W x 80"H	129"W x 120"H x 24"D	108"	198,000	14"	14"	RS 16	N/A

*Specifications may vary depending upon flue run and installation details.

Finishing Options



Finishing Options

Discover the perfect fireplace experience tailored to your personal style. At Acucraft we understand every space is unique and deserves a fireplace design to deliver warmth and enhance the overall aesthetics of any space. That's why we offer a wide range of exquisite options and accessories to complement your new fireplace and make it truly one-of-a-kind.



1/4" Black Reflective Glass Media & Polished Stones



1/2" Cobalt Reflective Glass Media

Enhance Your Fireplace with Unique Options

Create the perfect ambiance with our wide selection of gas fireplace accessories and finishing options. From stunning stones to sleek glass media and realistic log-sets, Acucraft gives you the freedom to customize your gas fireplace to suit your unique style and taste.

Interior Options:

- Wire Lath Backer
- Black Reflective Porcelain
- LED Lighting
- On/Off Remote Control

Media Options:

- Premium Glass Media in 1/4" and 1/2" sizes (available in a variety of colors)
- Semi-Polished Stones
- Glossy Stones
- River Rocks
- Lava Rock

Interior Options

- *Wire Lath Backer (attach any non-combustible materials)*
- *Reflective Porcelain Panels*
- *LED Lighting with Remote*
- *On/Off Remote Control (shown right)*



LED Lighting

Wire Lath Backer

(shown with customer installed fire brick)




Black Reflective Porcelain Panels



Glass Media Options

Choose from a variety of vibrant colors and sizes to perfectly complement any space with our stunning glass media options. Whether you prefer 1/4" or 1/2" sizes, our Classic and Premium styles offer endless possibilities for creating a truly unique focal point.


1/4" Classic Collection




Black




Bronze



Clear



Copper



Cobalt




Gray



Pacific Blue

1/4" Premium Collection



*Black Reflective
(included)*




Bronze Reflective



Champagne Reflective



Copper Reflective




Cobalt Reflective



Gray Reflective



Pacific Blue Reflective




Gold Reflective

1/4" Premium Collection



Evergreen Reflective




Platinum Reflective




Glass Media Options

1/2" Classic Collection




Azuria




Black



Bronze




Copper



Cobalt



Gray



Pacific Blue




Clear


1/2" Premium Collection



Azuria Reflective




Black Reflective



Bronze Reflective




Copper Reflective



Cobalt Reflective



Evergreen Reflective



Gray Reflective



Pacific Blue Reflective




Stone Media Options

Semi-Polished Stones



Slate-Black (Gray)



Off-White (Light Gray)



Ivory-Tan

Glossy Stones



Slate-Black (Gray)



Off-White (Light Gray)



Black

Lava Rock



Safety & Certification






Outside air is drawn into the channel between the panes of glass and is pulled into the firebox for combustion

Dual Pane Glass Cooling System

Our dual-pane glass cooling system is designed to enhance safety and comfort in any residential or commercial space.

Its innovative design allows you to enjoy the cozy ambiance of a fire without concerns about heat or safety hazards.

Versatile and adaptable, this system can be seamlessly installed in nearly any setting, making it an ideal solution for both home and business environments.



Gas Fireplace Safety

Our gas fireplace systems are built with multiple safety checkpoints to ensure secure operation, each of which must be met before ignition:

1. *Damper Activation: Turning on the fireplace sends a signal to the automatic draft system, which opens the damper.*
2. *Exhaust Fan Engagement: The exhaust fan activates to begin proper airflow.*
3. *Draft Verification: The provided draft system confirms the safe removal of flue gases.*
4. *Ignition and Combustion: The gas valve opens, triggering spark ignition, while the flame sensor ensures safe combustion.*

This process guarantees both safety and performance for your peace of mind.

A photograph of two men in a workshop or test facility. The man on the left, wearing a black hoodie, cap, and safety glasses, is holding a tool and looking at a large fireplace unit. The man on the right, wearing a grey hoodie and safety glasses, is holding a clipboard and looking at the same unit. The fireplace unit is emitting a bright orange flame. The background shows wooden walls and various equipment.

Safety & Certification

Acucraft fireplaces are never mass-produced. Every custom gas fireplace is tested and certified; comes with a custom manual, and a custom 3rd Party label for your one-of-a-kind install. Nothing leaves our facility without meeting and exceeding our safety standards.

- *Exclusive in-house test lab*
- *Certifying your custom fireplaces to ANSI and CSA standards*
- *Including sealed (with glass) and open (no glass) options*





Custom Gas Fireplaces

If you're seeking a one-of-a-kind truly unique custom fireplace for a private residence, restaurant, hotel, or any place where you want something no one else has, contact our fireplace experts to discuss the commissioning of a custom gas fireplace.

Available Resources

Specifying the perfect fireplace for your project has never been easier. Acucraft offers user-friendly fireplace design and specification tools, empowering you to effortlessly strategize and bring your vision to life for both residential and commercial spaces.

Fireplace Models and Specifications



SCAN ME

AIA Continuing Education Course for Architects

Specifying a Custom Fireplace: The 3-Step Process

Stay current with your professional prerequisites by taking our complimentary American Institute of Architects (AIA) continuing education course. Scan the QR code to get started.



Scan me

Schedule a Complimentary Discovery Call with an Acucraft Fireplace Expert



Interested in a tailored design or seeking advice on your fireplace project? Speak with an expert now by calling 888-317-6499 or request a complimentary discovery call by emailing us at info@acucraft.com!

Looking for More Inspiration? View Our Photo Galleries!



SCAN ME

Follow Us on Social Media



The Acucraft Difference.



The World's Best Fireplace Experience.

We're more than just another fireplace manufacturer...fire is in our DNA. Since 1979, we've been sharing our passion to reimagine fire and create the world's best fireplace experience. From start to finish and beyond, our team is here for you — any problem, any question, any time.

Certified

Custom fireplaces are ANSI Z21.97 / CSA 2.41-2017 and ANSI Z21.50 / CSA 2.22-2019 Certified.

Customized

Only Acucraft works directly with you to create a truly unique fireplace.

Handcrafted

Never mass-produced, each fireplace is meticulously, custom built.

Worldwide

Built in America and shipped directly to you, anywhere in the world.

Warranty

Keep the fire burning, each Acucraft firebox is backed by a Lifetime Warranty.



Let's start a fire, together.



ACUCRAFT.com / Toll Free: (888) 317-6499 / info@acucraft.com

Fax: (763) 330-1598 / Office: (763) 247-6280

19672 172nd St., Big Lake, MN 55309

